# CONTACT


**VILACONIC JOINT STOCK COMPANY**

Email **info@vilaconic.com**

Address **Sao Nam District, Cua Lo Ward, Nghe An, Viet Nam**


Website **www.vilaconic.com**

Hotline **+84 2383 747 999 | +84 849 171 999**


VILACONIC

# PVC

## PRODUCT CATALOGUE




TESTED ACCORDING TO ISO 11925-2:2010

NO IGNITION IN 30 SECONDS

TESTED ACCORDING TO ISO 11925-2:2010

# Contents


01 Overview

02 Production technology & material advantages

03 Our Products

04 Warranty Policy

05 Contact


## *Greeting from* VILACONIC

**VILACONIC** is proud to be a pioneer in manufacturing and supplying new-gen interior and exterior decorative materials, featuring high-quality architectural plastic wall panels (Nano panels, Fluted panels, PVC marble sheets and Charcoal bamboo panels).

Equipped with large-scale manufacturing facilities, modern fully imported production lines and an experienced team of engineers, we are committed to delivering products that meet strict technical standards: **100% waterproof, termite-proof, fire-retardant, and environmentally friendly.**

VILACONIC has partnered with hundreds of dealers, contractors, projects nationwide and worldwide, creating modern, elegant, and timeless living spaces.



# Capacity

~6 HA
TOTAL AREA

200+
EMPLOYEES

50+
PRODUCTION LINES

135.000 TONS/YEAR
CAPACITY

- End-to-end supply chain with secured raw materials
- Large-scale production capacity
- Eco-friendly products, lower emissions
- Aspiring to become a leading PVC manufacturer in North Central Vietnam

# Production Process






# Manufacturing Technology

- Combination of virgin and recycled raw materials
- Scratch-resistant nano coating
- Automated PVC extrusion lines
- Precision-fit interlocking system

# Material Advantages

**Waterproof - mold resistant - termite resistant**
100% water-resistant, no worry of peeling or rotting in humid environments, suitable for all weather conditions. Perfect replacement for natural wood.

**Diverse designs - high aesthetics**
Realistic and sharp wood grain, marble grain, and cement grain surfaces thanks to advanced film coating technology, bringing luxury.

**Quick installation**
Smart male-female lock system helps install easily, cleanly, shortening construction time by 50% compared to traditional materials.

**Safe & eco-friendly**
Virgin plastic raw materials contain no formaldehyde, absolutely safe for users.

**Fire-retardant components**
Premium materials help reduce ignition risk and effectively prevent fire spread.

**Easy to clean & maintain**
Laminated/UV coated surface is dust-resistant, quickly wiped clean with just a damp cloth.

**Exceptional Durability**
Resistant to warping, swelling, and shrinking under thermal expansion, featuring a lifespan of 15–20 years for maximum long-term value.



01

## NANO PVC WALL PANEL



HD 932

02

## FLUTED WALL PANEL



LSS 901

03

## PVC MARBLE SHEET



UV 280

04

## 3-LAYER PVC FOAM BOARD




TVN 001

Scan to view details of the color codes

# 01 PVC NANO WALL PANEL

The ideal choice to elevate living spaces with reasonable cost. Relatively lightweight, easy-to-clean surface, and moisture resistance suitable for conditions in Vietnam.




## TECHNICAL SPECIFICATIONS

| Product code | Thickness | Width | Length | Specification | Classification | Number of color codes | Application |
|---|---|---|---|---|---|---|---|
| Nano | 9 mm | 400 mm | 3 m, 4 m, 6 m, 9 m | Cut to request | Single leg / Double leg | 22 | Wall cladding, ceiling cladding |

• HD 901




• HD 932



• HD 959




• HD 927




• LSS-901




• LSS-932




## TECHNICAL SPECIFICATIONS

| Product code | Thickness | Width | Length | Specification | Classification | Number of color codes | Application |
|---|---|---|---|---|---|---|---|
| Lss | 20 mm | 200 mm | 3 m, 3.5 m, 4 m | Cut to request | Multiple models | 14 | Wall and ceiling cladding |

# 02 FLUTED PANEL

Interior design solutions that bring modern elegance, sophistication, and distinctive character to your space. Transforms plain walls into stunning focal points.

## TECHNICAL SPECIFICATIONS

| Product code | Thickness | Width | Length | Specification | Classification | Number of color codes | Application |
|---|---|---|---|---|---|---|---|
| LS | 15 mm | 200 mm | 3 m, 3.5 m, 4 m | Cut to request | Multiple models | 14 | Wall and ceiling cladding |







• LSS-916



• LSS-911



# 03 PVC MARBLE SHEET

Possessing lines simulating the beauty of natural stone, combined with a sophisticated surface and a diverse color palette, the product brings a luxurious appearance to your space.

## TECHNICAL SPECIFICATIONS

| Product code | Thickness | Width | Length | Specification | Classification | Number of color codes | Application |
|---|---|---|---|---|---|---|---|
| UV | 2.5 mm | 1220 mm | 2440 mm | Standard | Multiple patterns | 22 | Wall and partition cladding |

• UV 280





• UV 288




• UV 287



• UV 281




Scan to view details of the color codes





# 04 3-LAYER PVC FOAM BOARD

An essential choice in the interior, decoration, and construction industries.

- TVN 001
- TVN 002
- TVN 003







## TECHNICAL SPECIFICATIONS

| Product code | Thickness | Width | Length | Specification | Classification | Number of color codes | Application |
|---|---|---|---|---|---|---|---|
| TVN | 8 mm / 17 mm | 1220 mm | 2440 mm | Standard | 2 thicknesses | 3 | Cabinets, partitions, interior furniture |



Scan to view details of the color codes

# 05 NANO ACCESSORIES

Enhances the aesthetics of the project, covers cut and joint positions, supports connections between panels, and creates a neat, professional finished border.

10



Stainless steel clip

11





Multi-purpose adhesive

12




Adhesive tape

01



Internal V-corner

02



External V-corner

03



End cap profile

04



Symmetric molding 4cm

05



Asymmetric molding 3.5cm (Picture frame molding)

06



Asymmetric molding 6cm (Picture frame molding)

07



Door frame profile 7cm

08



Crown molding 8cm

09



Skirting board 10cm



Scan to view details of the color codes




# PRODUCT WARRANTY POLICY

## 01. Warranty coverage

Product surface: Covers peeling, blistering, or abnormal deformation caused by manufacturing defects.

Product structure: Covers defects in structural integrity, stability, and material bonding that are determined to result from manufacturing defects.

## 02. Warranty period

Warranty period: 5 years, from the date of delivery or another date specified in Vilaconic's warranty policy, contracts, and related documents.

## 03. Warranty conditions and exclusions

This warranty applies to defects confirmed to be caused by the manufacturing process, subject to the manufacturer's warranty terms and conditions.

The warranty does not cover damage resulting from improper installation, misuse, external impact, exposure to incompatible chemicals, or storage and use under conditions exceeding the recommended technical specifications.

## 04. Warranty claims and resolution

Vilaconic receives warranty requests, inspects product conditions, and implements appropriate corrective actions in accordance with its published warranty policy.




ISO TESTED ACCORDING TO ISO 11925-2:2010

VIBM NO IGNITION IN 30 SECONDS

TESTED ACCORDING TO ISO 11925-2:2010